



TPG 202, Piezo/Pirani Handheld Vacuum Gauge






Similar Image

TPG 202, Piezo/Pirani Handheld Vacuum Gauge

- Battery- operated handheld vacuum gauge
- Measurement range from $5 \cdot 10^{-4}$ to 1200 hPa
- Data logging function
- Data readout by PC

Dimensions



Technical Data	TPG 202, Piezo/Pirani Handheld Vacuum Gauge
Accuracy	1200 - 10 hPa: 0,3 % Full Scale; $10 - 2 \cdot 10^{-3}$ hPa: 10 %; $2 \cdot 10^{-3}$ hPa: < factor 2 of reading
Battery type	9 V AlMn E bloc, 6 LR6; 9 V Lithium E bloc
Materials in contact with media	Stainless steel, gold, nickel, tungsten, glass, FP M
Measurement range max.	1,200 hPa 900 Torr 1,200 mbar
Measurement range min.	$5 \cdot 10^{-4}$ hPa $3,75 \cdot 10^{-4}$ Torr $5 \cdot 10^{-4}$ mbar
Method of measurement	Piezo/Pirani
Nominal diameter	DN 16 ISO-KF
Pressure max.	2,000 hPa 1,500 Torr 2,000 mbar
Protection category	IP 40
Seal	Metal
Temperature: Operating	5-50 °C 41-122 °F 278-323 K
Temperature: Storage	-20-60 °C -4-140 °F 253-333 K
Weight	0.23 kg 0.51 lb

Order number

TPG 202, Piezo/Pirani Handheld Vacuum Gauge

PT G28 202